

**St George's Hospital, London\*\*  
Overview of activity, 2009 - 2011**

**Table 1 Overview of activity**

Age of patient (years)	Number of patients on transplant list (daily average)	Percentage <sup>1</sup> of patients <sup>2</sup> receiving kidney only transplant within 1 year of listing	Number of transplants carried out (annual average)				Number <sup>3</sup> of kidneys <sup>4</sup> retrieved (annual average)	
			All transplants	Kidney only transplants from:				multi-organ transplants that include a kidney
				DBD donors	DCD donors	Live donors		
≥18	295	7	89	28	12	49	0	355

<sup>1</sup> As a percentage of the number of patients newly listed on the deceased donor transplant list between 2007 and 2009

<sup>2</sup> Exclusions - patients who recieved live donor transplants (as centre practices with regards to listing of such patients differ) and patients registered for kidney/pancreas transplant

<sup>3</sup> Total of kidneys retrieved from centres in the South Thames alliance

<sup>4</sup> Kidneys donated by adult or paediatric deceased or live donors

**\*\*Patients listed at St Helier Hospital in Carshalton and The Royal Sussex County Hospital in Brighton have their transplants done by St George's Hospital. Data for these two centres are included throughout this report.**

**St George's Hospital, London\*\***  
**Details of activity, 2009 - 2011**

**Table 2 Donors (Note: Deceased donor numbers are totals for all centres in the South Thames alliance)**

DBD Number	Deceased donors (annual average)		Live donors (annual average)	
	Number	DCD % of transplants in which kidneys from donors after circulatory death were used <sup>1,2</sup>	Number	% of transplants in which kidneys from live donors were used <sup>1,2</sup>
67	30	13	49	55

<sup>1</sup> As a percentage of all transplants at the centre in adult or paediatric patients using kidneys from live or deceased donors

<sup>2</sup> See Table 4 for number of transplants in paediatric and adult patients

**Table 3 Patients on the active transplant list**

Age of patient (years)	Number of patients on the transplant list (daily average)	Percentage change in list size over time period	Number of patients joining the deceased donor transplant list (2007-2009) <sup>1</sup>	Percentage of patients receiving kidney only transplant within:		
				6 months	1 year	2 years
≥18	295	+3	288	3	7	14

<sup>1</sup> Exclusions - patients who received live donor transplants (as centre practices with regards to listing of such patients differ) and patients registered for a kidney/pancreas transplant

**Table 4 Transplants**

Age of patient at transplant (years)	Number of transplants carried out (annual average)	Number of kidney only transplants from: (annual average)			Number of multi-organ transplants that include a kidney (annual average)
		Deceased donors		Live donors	
		DBD	DCD		
≥18	89	28	12	49	0

**St George's Hospital, London\*\***  
**Survival rates**

**Table 5 Survival rates for adult (age ≥ 18 years) transplant patients<sup>1</sup>**  
**(Note: Only the risk-adjusted rates for a centre can be compared validly with the 'All centre' rates)**

		This centre				All centres			
		Number of transplants	Survival estimate (%)	95% CI	Survival estimate (%)	95% CI	Number of transplants	Survival estimate (%)	95% CI
<b>First deceased donor transplants</b>									
1 year survival	Graft	187	95	(90 - 97)	94	(89 - 97)	5482	93	(92 - 94)
	Patient	187	98	(95 - 99)	98	(94 - 100)	5485	96	(95 - 96)
5 year survival	Graft	245	85	(80 - 89)	86	(80 - 90)	4982	84	(83 - 85)
	Patient	244	92	(87 - 95)	92	(87 - 95)	4985	88	(87 - 89)
<b>Live donor transplants</b>									
1 year survival	Graft	224	100	(97 - 100)	100	(98 - 100)	4071	97	(96 - 97)
	Patient <sup>2</sup>	208	100	N/A	100	N/A	3484	99	(98 - 99)
5 year survival	Graft	109	89	(81 - 94)	89	(80 - 95)	2239	91	(89 - 92)
	Patient <sup>2</sup>	102	98	(92 - 99)	97	(91 - 100)	1952	96	(95 - 97)

<sup>1</sup> Cohorts for survival estimation

1 year survival: 1 Jan 2006 - 31 Dec 2010

5 year survival: 1 Jan 2002 - 31 Dec 2006

<sup>2</sup> First grafts only - re-grafts excluded for patient survival estimation